


Bucket Selection Guide



Supplemental Specifications

| Description | Change in operating weight kg(lb) | Change in static tipping load-straight kg(lb) | Change in static tipping load-40 turn kg(lb) |
|-----------------|-----------------------------------|---|--|
| 17.5-25 12PR L3 | -248 (-547) | -184 (-406) | -163 (-359) |
| 20.5-25 16PR L2 | -64 (-141) | -48 (-106) | -42 (-93) |
| 20.5 R25 XHA★ | +507 (+1118) | +377 (+831) | +332 (+732) |
| 20.5-25 16PR L5 | +596 (+1314) | +442 (+974) | +392 (+864) |

Standard Equipment

| | | | | |
|--|---|---|--|--|
| <p>Electrical system</p> <p>Alternator, 70A</p> <p>Alarms, audible and visual</p> <ul style="list-style-type: none"> air filter clogging transmission error alternator voltage brake oil pressure engine oil pressure parking brake hydraulic oil temperature coolant temperature service brake oil pressure <p>Batteries, maintenance-free 950 CCA, 12V, (2)</p> <p>Gauges</p> <ul style="list-style-type: none"> engine coolant temperature fuel level hydraulic oil temperature speedometer transmission oil temperature voltmeter <p>Horn, electric</p> <p>Indicator lights</p> <ul style="list-style-type: none"> clutch cut-off high beam turn signal work light <p>LCD Display</p> <ul style="list-style-type: none"> clock and fault code operating hour counter engine rpm | <ul style="list-style-type: none"> transmission gear range indicator job time and distance temperature(coolant, hydraulic oil, t/m oil) <p>Lighting system</p> <ul style="list-style-type: none"> 2 dome lights 2 stop and tail lights 4 turn signals brake lights(counter weight) license plate light head light 2 on front tower working lights 2 on front roof 2 on grill <p>Switches</p> <ul style="list-style-type: none"> buzzer stop clutch cut-off hazard ignition key, start/stop switch main light(illumination and head light) parking rear wiper & washer work light full automatic transmission Starter, electric Starting and charging system(24-volt) <p>Cab</p> <p>Cab, ROPS/FOPS</p> <p>(sound suppressed and pressurized) with :</p> | <ul style="list-style-type: none"> cigar lighter & ashtray coat hook front/rear window defroster intermittent wiper and washer, front and rear personal storage space: console box cool & hot box holder, can and cup rear view mirrors (2 inside) rear view mirrors (2 outside) seat belt seat, adjustable suspension with armrests steering column, tilt and telescopic steering wheel with knob sunvisor(front window) tinted safety glass two door cab, fixed glass <p>Magazine box</p> <p>Pedals</p> <ul style="list-style-type: none"> one accelerator pedal one brake pedal <p>Rubber floor mat</p> <p>Wrist rest</p> <p>Engine</p> <p>Antifreeze</p> <p>Engine, Cummins QSB5.9-C</p> <ul style="list-style-type: none"> Low Emission Diesel, Tier-II <p>Engine enclosure, lockable</p> <p>Engine fuel priming pump</p> | <p>Fan guard</p> <p>Fan Heater</p> <p>Fuel/water separator</p> <p>Muffler, under hood with large exhaust stack</p> <p>Precleaner, engine air intake</p> <p>Radiator</p> <p>Starting aid (air intake heater)</p> <p>Water sensor on fuel filter</p> <p>Power Train</p> <p>Brakes : Service, enclosed wet-disc</p> <p>Differential, Limited Slip (front/rear)</p> <p>Parking brake</p> <p>Torque converter</p> <p>Transmission, computer-controlled, electronic soft shift, auto-shift and kick-shift features included</p> <p>Transmission oil cooler</p> <p>Hydraulics</p> <p>Boom lock safety valve</p> <p>Boom kickout, automatic</p> <p>Bucket positioner, automatic</p> <p>Diagnostic pressure taps</p> <p>Hydraulic oil cooler</p> <p>Hydraulic system,</p> <ul style="list-style-type: none"> 2 spool, single lever, pilot control for boom and bucket actuation <p>Steering, load-sensing</p> <p>Remote cooling fan,</p> | <p>hydraulically-driven, temperature sensing type</p> <p>Others</p> <p>Articulation locking bar</p> <p>Coolant level sight gauge</p> <p>Counterweight</p> <p>Door and cab locks, one key</p> <p>Doors, service access(locking)</p> <p>Drawbar with pin</p> <p>Engine oil level dipstick gauge</p> <p>Ergonomically located and slip resistant, left & right</p> <ul style="list-style-type: none"> handrails ladders platforms steps <p>Fenders(front/rear)</p> <p>Guard, bucket cylinder rod</p> <p>Hydraulic oil level sight gauge</p> <p>License plate bracket</p> <p>Lift and tie-down hooks</p> <p>Loader linkage, sealed Z-Bar design</p> <p>Steering stops, cushioned</p> <p>Tires(20.5-25, 16PR, L3)</p> <p>Transmission oil level dipstick gauge</p> <p>Vandalism protection cap locks</p> |
|--|---|---|--|--|

Optional Equipment

| | | | | |
|--|---|--|--|--|
| <p>24-volt to 12-volt DC converter</p> <p>Air condition :</p> <ul style="list-style-type: none"> air conditioner air conditioner with heater heater <p>Alarm, back-up</p> <p>Beacon light, rotating</p> <p>Cutting edge, bolt-on type</p> <p>Emergency steering system</p> <p>Fire extinguisher</p> | <p>High lift arrangement with optional counterweight, 820kg (1810 lb)</p> <p>Hourmeter</p> <p>Hydraulic control, 2 levers</p> <p>Hydraulic control, 3 levers</p> <p>Hydraulic arrangement, 3-valve</p> <p>Lighting, auxiliary, 4 on roof</p> <p>Main disconnect switch</p> <p>Mud guard</p> | <p>Open Canopy (None-ROPS)</p> <p>Operator suit</p> <p>Radio MP3 player</p> <p>Ride control system</p> <p>Seat</p> <ul style="list-style-type: none"> 2" static seat belt & adjustable mechanical suspension(vinyl) 3" retractable seat belt & adjustable mechanical | <p>suspension</p> <ul style="list-style-type: none"> 3" retractable seat belt & adjustable air suspension <p>Tires :</p> <ul style="list-style-type: none"> 17.5 - 25, 12PR, L3 20.5 - 25, 16PR, L2 20.5 R25 XHA★ 20.5 - 25, 16PR, L5 <p>Tool kit</p> <p>Tooth, 1 piece, bolt-on type</p> | <p>Tooth, 2 pieces, bolt-on type</p> <p>Guards</p> <ul style="list-style-type: none"> crankcase transmission <p>Wheel chock</p> <p>Window, sliding (left and right side)</p> |
|--|---|--|--|--|

Standard and optional equipment may vary. Contact your Hyundai dealer for more information. The machine shown may vary according to International standards. All US measurement rounded off to nearest pounds or inches.

HYUNDAI HEAVY INDUSTRIES CO.,LTD. CONSTRUCTION EQUIPMENT

Head Office(Sales Office)
1 JEONHA-DONG, DONG-GU, ULSAN, KOREA Tel (82) (52) 202-7970, 7729, 0971 Fax (82) (52) 202-7979, 7720

U.S. Operation : Hyundai Construction Equipment U.S.A., Inc.
955 ESTES AVENUE, ELK GROVE VILLAGE IL, 60007 Tel (1) 847-437-3333 Fax (1) 847-437-3574

European Operation : Hyundai Heavy Industries Europe N.V.
VOSSENDAAL 11, 2440 GEEL, BELGIUM Tel (32) 14-56-2200 Fax (32) 14-59-3405

India Operation : Hyundai Construction Equipment India Pvt., Ltd
PLOT NO.A-2, CHAKAN INDUSTRIAL AREA, VILL. KHALUMBRE, TALUK. KHED, DIST. PUNE 410 501, INDIA Tel (91) 21-3530-1700 Fax (91) 21-3530-1712

PLEASE CONTACT

www.hyundai-ce.com

2009. 10 Rev.11



Some of the photos may include optional equipment.

HYUNDAI WHEEL LOADER Applied Tier 2 Engine

HL757-7 / HL757TM-7 / HL757XTD-7

HYUNDAI HEAVY INDUSTRIES CO.,LTD.

We build a better future

